BTO WOOD FINISHING



LOOKBOOK 2026

Solid Wood Slatted Panel

Brazilian Teak (Cumaru) · Brazilian Oak (Tauari) · Teak

BTOWOOD.COM · @SLATTEDPANELS



BTO WOOD FINISHING

COLLECTION 09

Solid Wood Slatted Panel

The same solid slat used in our wood ceilings, now for walls: Cumaru (Brazilian Teak), Tauari (Brazilian Oak) or Teak, in slats of 2x1, 4x1 and 8x1 cm, 10 or 15 mm thick.

Brazilian Teak (Cumaru)	Brazilian Oak (Tauari)	Teak

Chat on WhatsApp

View on website ↗



Brazilian Teak (Cumaru)

Solid wood, 10 or 15 mm thick



2x1
slat 2x1 cm




4x1
slat 4x1 cm



8x1
slat 8x1 cm

SLATS	THICKNESS	FINISH	USE
2x1 · 4x1 · 8x1 cm	10 or 15 mm	Unvarnished	Indoor, outdoor, facades

Chat on WhatsApp | View on website ↗



Brazilian Oak (Tauari)

Solid wood, 10 or 15 mm thick



2x1

slat 2x1 cm



4x1

slat 4x1 cm




8x1

slat 8x1 cm

SLATS	THICKNESS	FINISH	USE
2x1 · 4x1 · 8x1 cm	10 or 15 mm	Unvarnished	Indoor and covered outdoor

Chat on WhatsApp

View on website ↗



Teak

Solid wood, 10 or 15 mm thick



2x1

slat 2x1 cm



4x1

slat 4x1 cm



8x1

slat 8x1 cm

SLATS	THICKNESS	FINISH	USE
2x1 · 4x1 · 8x1 cm	10 or 15 mm	Unvarnished	Indoor, outdoor, facades

Chat on WhatsApp

View on website ↗








BTO WOOD FINISHING

Our own factory in central-west Brazil since 1980

46	5 years	14	FSC
YEARS	WARRANTY	COUNTRIES	CERTIFIED MDF

Chat on WhatsApp

btowood.com ↗

Instagram ↗

www.btowood.com · @slattedpanels

WhatsApp +55 62 99284-9094 · US +1 (954) 226-8639

paulo@btowood.com